

Harada, Patricia

From: Weaver, Tracy (City Clerk)
Sent: Tuesday, February 21, 2023 9:59 AM
To: Sandoval, Lili; Harada, Patricia
Subject: FW: Senator Ben Allen

Please post to website for tonight's meeting.

Thank you,

Tracy Weaver | City Clerk
City of El Segundo
350 Main Street El Segundo CA 90245
310.524.2305 | tweaver@elegundo.org | www.elsegundo.org

EL SEGUNDO
Where big ideas take off.

From: Corrie (Chitlik) Zupo <corriezupo@gmail.com>
Sent: Thursday, February 16, 2023 10:40 AM
To: ALL ELECTED OFFICIALS <ALLELECTEDOFFICIALS@elsegundo.org>
Cc: Tracey <tmillerzarneke@elsegundoccb.org>; Citizens El Segundo <ElSegundo.cleanair@gmail.com>
Subject: Senator Ben Allen



benallenca 19h



Our region relies on the Hyperion plant, but conditions have been awful for folks in nearby @cityofelsegundo. My office is working @asmunratauchi and @citysan to expedite the plant's improvements and mitigate odors in the meantime. Residents deserve better.



[DAILYBREEZE.COM](https://www.dailybreeze.com)



dailybreeze.com

Future state bill aims to speed up Hyperion odor recovery

Send message



Facility ID: 800214

Facility Name	Facility ID	Facility Type	Facility Address	Facility City	Facility State	Facility Zip
LA City Sanitation Bureau (LTSB)	800214	Wastewater Treatment Plant	1100 S. Main St.	Los Angeles	CA	90015

Jan 11, 2023 Pollutants of concern (page 43-44 of the air permit)

of one of the carbon vessels. The samples shall be specified and shall include be limited to the compounds listed below:

1. Benzene
2. Carbon tetrachloride
3. Chloroform
4. Chlorobenzene
5. Dichlorobenzene
6. Ethylbenzene
7. Hexachlorocyclopentadiene
8. Methylene chloride
9. Tetrachloroethylene
10. Toluene
11. Trichloroethylene
12. Trichloromethylene
13. Toluene
14. Vinyl chloride
15. Vinylidene chloride
16. Xylenes
17. H2S
18. Total reduced sulfur as H2S

South Coast Air Quality Management District
21805 Capley Drive, Diamond Bar, CA 91765-4178

**FACILITY PERMIT TO OPERATE
LA CITY, SANITATION BUREAU (LTSB)**

19. Total non-methane hydrocarbon as CH₄
20. Ammonia

Jan 10, 2023 |

Hello,

Can the EN Committee work with Senator Ben Allen and others on the wastewater rule? His social media post seems focused on odor, but we are also concerned about pollutants of concern (as outlined in Hyperions air permit). They do not have monitoring requirements or limits and many of these pollutants are cancerous. Chevron has AQMD Rule 1180 that monitors pollutants of concern and there's safety limits. Some of these pollutants were apart of the Ohio train wreck that is making national news. I don't want a new rule that doesn't address the big picture concerns.

Thank you,

Corrie

Sent from my iPhone